


2ND AMENDMENT NATION ★ RINGS ★


How to Determine Your Ring Size

- Print this with PDF Page Sizing set to “Actual size” or “100%.”
- Use a ruler to ensure the lines to the right are exactly 1 inch long or 3cm long.
- Don't have a ruler? Use the payment card outline at the bottom of this page.



Using a Ring You Already Own That's At Least 10mm Width

1. Use a ring you wear on the same finger as the one you need to size.
2. Place that ring over the circles you see below. The circles represent the inside diameter of the ring.
3. Compare your ring to the circles and find the one which best fits inside your ring.
4. If the ring falls between two sizes you should order the larger size or ask us if that ring is available in quarter size increments.



Other Considerations When Sizing

- Rings with a 5mm or wider band will feel tighter because more metal is touching your finger. Choose a size larger for those wider bands.
- Comfort Fit rings will feel loose because less metal touching your finger. For these rings it's better to round down if you are between sizes, or ask us if that ring is available in quarter size increments.
- Keep in mind that your ring still need to fit over your knuckles even though it might feel loose on your finger.

Your printout is the right size if your payment card fits perfectly inside this credit card outline.

Visit us in person to find your exact measurement

2nd Amendment Nation
2121 McCulloch Blvd N
Lake Havasu City, AZ 86403
928-855-2103

Give us a call for help selecting the right ring.
www.2ndamendmentnation.com, or email orders@2arings.com

2ND AMENDMENT NATION ★ R I N G S ★

Measure Your Finger With String

1. For this method you'll need non-stretchy string, dental floss, a twist tie, or anything else that's flexible enough to wrap around your finger.
2. Your finger will fluctuate in size throughout the day depending on activity, temperature, and your diet. You should measure your finger with the string method several times, later in the day is better because that's when your finger will be largest.
3. Wrap the string around your finger and mark or cut the string where it meets.
4. Line up the string against the lines below to find your ring size.
5. If the ring falls between two sizes you should order the larger size or ask us if that ring is available in quarter size increments.

3 _____
3.5 _____
4 _____
4.5 _____
5 _____
5.5 _____
6 _____
6.5 _____
7 _____
7.5 _____
8 _____
8.5 _____

9 _____
9.5 _____
10 _____
10.5 _____
11 _____
11.5 _____
12 _____
12.5 _____
13 _____
13.5 _____
14 _____
14.5 _____

Your printout is the right size if your payment card fits perfectly inside this credit card outline.

Visit us in person to find your exact measurement

2nd Amendment Nation
2121 McCulloch Blvd N
Lake Havasu City, AZ 86403
928-855-2103

Give us a call for help selecting the right ring.
www.2ndamendmentnation.com, or email orders@2arings.com

2ND AMENDMENT NATION ★R★I★N★G★S★

International Ring Sizing Chart

Inside Diameter (mm)	Europe	United States, Canada, & Mexico	UK, Ireland, AU, NZ, & South Africa	China, Japan, & South America	India	Italy, Spain, & Switzerland
14.1	44.2	3	F	4		4.25
14.3	45	3 1/4	F 1/2	5	5	4.75
14.5	45.5	3 1/2	G			5.5
14.7	46.1	3 3/4	G 1/2	6	6	6
14.9	46.8	4	H	7		6.75
15.1	47.4	4 1/4	H 1/2		7	7.5
15.3	48.0	4 1/2	I	8	8	8
15.5	48.7	4 3/4	J		9	8.75
15.7	49.3	5	J 1/2	9		9.25
15.9	50.0	5 1/4	K		10	10
16.1	50.6	5 1/2	K 1/2	10		10.5
16.3	51.2	5 3/4	L		11	11.25
16.5	51.9	6	L 1/2	11	12	11.75
16.7	52.5	6 1/4	M	12		12.5
16.9	53.1	6 1/2	M 1/2	13	13	13.25
17.1	53.8	6 3/4	N			13.75
17.3	54.4	7	N 1/2	14	14	14.5
17.5	55.1	7 1/4	O		15	15
17.7	55.7	7 1/2	O 1/2	15		15.75
17.9	56.3	7 3/4	P		16	16.25
18.1	57.0	8	P 1/2	16	17	17
18.3	57.6	8 1/4	Q			17.5
18.5	58.3	8 1/2	Q 1/2	17	18	18.25
18.8	58.9	8 3/4	R		19	19
19.0	59.5	9	R 1/2	18		19.5
19.2	60.2	9 1/4	S		20	20.25
19.4	60.8	9 1/2	S 1/2	19	21	20.75
19.6	61.4	9 3/4	T			21.5
19.8	62.1	10	T 1/2	20	22	22
20.0	62.7	10 1/4	U	21	23	22.75
20.2	63.4	10 1/2	U 1/2	22		23.25
20.4	64.0	10 3/4	V		24	24
20.6	64.6	11	V 1/2	23	25	24.75
20.8	65.3	11 1/4	W			25.25
21.0	65.9	11 1/2	W 1/2	24	26	26
21.2	66.6	11 3/4	X			26.5
21.4	67.2	12	X 1/2	25	27	27.25
21.6	67.8	12 1/4	Y		28	27.75
21.8	68.5	12 1/2	Z	26		28.5
22.0	69.1	12 3/4	Z 1/2		29	29
22.2	69.7	13		27	30	29.75
22.4	70.4	13 1/4	Z1			30.5
22.6	71.0	13 1/2			31	31
22.8	71.7	13 3/4	Z2		32	31.75
23.0	72.3	14	Z3			32.25
23.4	73.6	14 1/2	Z4			33.5